

Managing Acute Otitis media
CHAMPS/CCMCN Archived Webcast
Presented November 4, 2004
Evaluation & CME Questions



Name: _____

E-mail Address: _____

Organization: _____

Phone Number: _____

This contact information is **required** if you would like to receive CME Credit for this webcast.

***Fax your completed form to Andrea Miller at CHAMPS, (303) 861-5315
Questions? Call (303) 861-5165 x285.***

Please complete the following evaluation questions (pages 1 and 2) so we can review our goals, objectives, and topics for future webcasts. Participants interested in receiving CME Credit must also complete the CME questions following the evaluation questions (page 3). CME Certificates will be emailed one month after form is received.

EVALUATION QUESTIONS

1. The overall quality of the webcast was:

- ___ Excellent
- ___ Very Good
- ___ Good
- ___ Fair
- ___ Poor

2. The informational content of this webcast was:

- ___ Excellent
- ___ Very Good
- ___ Good
- ___ Fair
- ___ Poor

3. The delivery of the webcast was:

- ___ Excellent
- ___ Very Good
- ___ Good
- ___ Fair
- ___ Poor

4. How well did the webcast meet your expectations?

- Very Well
- Well Enough
- Not Very Well

5. The best/worst aspects of the webcast were:

6. Describe the most valuable concept/skill you learned from this webcast:

7. What other educational topics are you interested in?

Thank you for completing the Evaluation questions. If you are applying for CME credit, please complete the following CME questions on the following page.

CONTINUING MEDICAL EDUCATION (CME) CREDIT QUESTIONS

You must attend the entire webcast and complete the following post-test in order to qualify for CME credit. Failure to complete all CME question fields will result in no CME credit awarded.

1. Management of pain, especially in the first 24 hours of AOM, should be addressed whether or not antibiotics used. Options for otalgia therapies include:

- Acetaminophen, ibuprofen
- Home remedies: distraction, oil, warm/cold packs
- Topical agents – benefit older children >5-6 yrs
- Homeopathic agents
- Narcotic analgesia
- All of the above may be appropriate options depending on the case

2. Observation means deferring antibiotic therapy 48-72 hours while managing pain.

- True
- False

3. Recommendations from the AAFP/AAP Clinical Practice Guidelines for the management of acute otitis media include all of the following except:

- Make the diagnosis
- Address pain
- Try high dose amoxicillin first line in all cases
- Reassess 48-72 hours if no response to first line therapy.
- If observed, begin abx: If abx, change abx.
- Reduce risk factors to prevent AOM

4. Match the following:

- | | |
|--|--------------------------------|
| First line: _____ | 1. Amoxicillin 80mg/kg/day |
| Second line: _____ | 2. Macrolide |
| PCN, cephalosporin allergic patients _____ | 3. Amox/Clavulanic 80mg/kg/day |
| An option if allergic to amox (not type 1) _____ | 4. Azithromycin 10mg/kg/day |
| An option if B-lactam allergic _____ | 5. Cefdinir 14mg/kg/day |

***Thank you for applying for CME Credit.
Please fax your responses to Andrea Miller at CHAMPS, (303) 861-5315.***